



COUNTING
 Appendix B1
 DATE: 9/14/21
 TIME: 9:50X
 RECEIVED BY: _____

PURCHASE ORDER
DOH-CAR
 Entity Name

Supplier : SGS HEALTHCARE CO.		P.O. No. : 21-1019			
Address : B28 L1 PH.2 St. Jude Village San Agustin, San Fernando, Pampanga		Date : September 9, 2021			
TIN : 009-674-508-000 VAT		Mode of Procurement : Public Bidding			
Gentlemen: Please furnish this Office the following articles subject to the terms and conditions contained herein:					
Place of Delivery : DOH CHD CAR		Delivery Term :			
Date of Delivery : 60 Working Days		Payment Term : CHARGE			
Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount
		PR 21-0057			
	canister	Blood Glucose Test Strip, compatible with easy touch GCU blood test meter, 25/canister	50	750.00	37,500.00
	canister	Uric Acid Test Strip, compatible with easy touch GCU blood test meter, 25/canister	50	949.00	47,450.00
STANDARD REQUIREMENTS					
1. Shelf life: Must be fresh commercial stock with a total shelf life of 24 months but not less than 18 months from the date of delivery. For Etonogestrel and PSI implants, total shelf life should be 60 months, 36 months from date of delivery.					
2. PACKAGING: Standard packaging of the manufacturer as approved by the PFDA					
3. LABELLING INSTRUCTION:					
a. On each box/bottle/transparent plastic pack, the following should be imprinted or stickered with non-removable or permanent sticker or label that is binding, and with residue and tearing, if removed:					
Philippine Government Property-Department of Health NOT FOR SALE					
b. The items should be delivered in a thick corrugated cardboard box, which is labeled in permanent black ink as follows, in addition to Recipient and Supplier:					
Philippine Government Property-Department of Health NOT FOR SALE					
Date of Manufacture: _____					
Date of Expiry: _____					
Batch/Lot No. _____					
4. RECALL AND DISPOSAL:					
a.) The supplier must ensure the quality products and if there will be problems in the quality, the supplier will recall and replace the products distributed in the hospitals/treatment hubs/RHU/HC/BHSS based on the Guidelines of Product Recall, FDA Circular No. 2016-12					
b.) In case of product recalls, damage or expired medicines due to replacement, costs associated with the proper handling or pull out from the health facilities where the medicines have already been distributed shall be borne by the supplier					
Purpose: For use during the NDPR Week celebration NCD Risk Screening, Kidney Disease Screening through Urinalysis on July 14-17, 2021 in CAR					
FE: PDM PWD Fund					
TOTAL	Eighty Four Thousand Nine Hundred Fifty Pesos Only				₱84,950.00
1. In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent (1%) for every day of delay shall be imposed on the undelivered item/s.					
2. DOH-CHD-CAR may rescind this contract once the cumulative amount of liquidated damages (LD) reaches ten percent (10%) of the contract amount, and may impose sanctions over and above the LD to be paid.					
3. The approval and acknowledgement of this contract/purchase order shall serve as notice that the supplier/contractor may commence with the execution of the contract.					
4. The contractor/supplier shall be responsible in the execution of this contract/purchase order in accordance with the terms and conditions, and other provisions indicated herein.					
This Office reserves the right to cancel this Purchase Order					
Please acknowledge receipt and acceptance of this contract/purchase order by signing in the space provided for below.					
Conform: JEFFERSON SINAMBAN Signature over Printed Name of Supplier		Very truly yours, _____ RUBY C. CONSTANTINO, MD, MPH, CESO IV Director IV			
Date: 09-22-21					
Fund Cluster :	01	ORS/BURS No. :	<u>02-101101-21-09-9124</u>		
Funds Available :	<u>84,950.00</u>	Date of the ORS/BURS:	<u>9/14/21</u>		
		Amount :	<u>84,950.00</u>		
ELAIZA J. LAGERA Accountant III		Page 1			

SEP 17 2021