



Republic of the Philippines  
**DEPARTMENT OF HEALTH**  
**CENTER FOR HEALTH DEVELOPMENT**  
 Cordillera Administrative Region  
 Baguio City



**BAC Resolution No. 2020-93**  
**IB 2020-13 (REGULAR)**  
**Package V - PROCUREMENT LABORATORY SUPPLIES**

**RECOMMENDING THE AWARD OF CONTRACT FOR Items No. 1, 2, 4 & 5 and DECLARING FAILURE OF BIDDING for Item No. 3 FOR THE PROCUREMENT LABORATORY SUPPLIES (Package V) for CY 2020 REQUIREMENTS**

**WHEREAS**, Open Competitive Bidding for the Procurement of Laboratory Supplies (Package V) for CY 2020 requirements was conducted in accordance with the Republic Act 9184 (RA 9184) and its Revised Implementing Rules and Regulations;

**WHEREAS**, on August 15, 2020, the Invitation to Bid (IB) was posted in the PhilGEPS;

**WHEREAS**, a Pre-bidding Conference was held on August 25, 2020 at 10:00 am at DOH-CAR Office Regional Training Center, BGHMC Compound, Baguio City where six (6) prospective bidders attended, namely:

1. Ms. Rose B. Parel – Allied Hospital Supply
2. Mr. JC Balagot – Allied Hospital Supply
3. Ms. Jhessa Deo – Panamed Phils., Inc.
4. Ms. Jerlie Rafael – Phil Pharmawealth Inc.
5. Ms. Desiree V. Gorospe – Steritex Medical System
6. Ms. Evangeline Osalvo – Quinta Medical Healthcare Inc.

**WHEREAS**, Supplemental Bid Bulletin No. 2020-001 dated August 28, 2020, was issued to modify or amend the technical specifications;

**WHEREAS**, the Submission and Opening of Bids took place as scheduled on September 07, 2020 at 10:00 am at the Regional Training Center, Department of the Health-Center for Health Development-Cordillera Administrative Region (DOH-CHD-CAR) Office, BGHMC Compound, Baguio City;

**WHEREAS**, four (4) prospective bidders procured the bidding documents, however, only three (3) submitted their respective proposal, namely:

1. Endure Medical Inc.
2. Northeast Medical Trading
3. Allied Hospital Supply International Corp.

**WHEREAS**, the first envelopes containing the Eligibility and Technical Documents were opened. The presence, completeness and correctness of the required documents were checked and verified by the designated Bids and Awards Committee (BAC). Upon checking, Northeast Medical Trading was declared “NOT ELIGIBLE” and was rated “FAILED” because the submitted Surety Bond does not have a certificate of authority from the Insurance Commission, while, Endure Medical Inc., and Allied Hospital Supply International Corp. were declared “ELIGIBLE” and were rated “PASSED”;

**WHEREAS**, the second envelopes containing the Financial Proposal were opened. The presence, completeness and correctness of the required documents were checked and verified by the BAC. Upon checking, Endure Medical Inc. and Allied Hospital Supply International Corp. were declared “ELIGIBLE”, were rated “PASSED” and subsequently the bid proposals were read publicly and written in the Abstract of Bids, to wit:

IB 2020-13 Procurement of Laboratory Supplies (Package V)							
Name of Company						Endure Medical Inc.	Allied Hospital Supply Int'l Corp.
Bid Security Form						BSD	BSD
Amount of Security						N/A	N/A
Item No.	Item/Specification	Total Qty.	Unit	ABC per Unit	Total ABC		

1	ANTI-HIV RAPID TEST KIT Sensitivity: 100%, Specificity: at least 99.8%, 25 test kits/box	700	kit	120.00	84,000.00	52,038.00	56,000.00
2	HBsAg/ ANTI RAPID TEST KIT HBsAG/ Anti HBS Rapid Test Kit, Test kit contains 25 tests per box; Sensitivity: 100%; Specificity: 100% Kit consist of a plastic device containing: A chromatography membrane to which are fixed: a goat polyclonal anti-HBs antibody or a monoclonal anti-biotin antibody; A test strip impregnated with a conjugate consisting of: a mixture of two monoclonal anti HBs-antibodies coupled to red-dyed polystyrene microspheres and a BSA-biotinylated complex coupled to blue-dyed polystyrene microspheres.	20	kit	1,520.00	30,400.00	NO BID	24,000.00
3	PREGNANCY TEST KIT HCG Pregnancy Rapid Test Kit, 50s/box Technology: chromatographic immunoassay; Format: strip; Sample Type: Urine; Antibodies: Anti B-hCG; Test Line: Anti a-hCG antibody; Control Line: Goat polyclonal antibody; Specificity: 100%; Time to Result: 3 minutes	1,500	kit	120.00	180,000.00	23,160.00	36,000.00
4	SYPHILLIS TEST KIT ICT, Sensitivity >= 99.3%, Specificity >=99.5%, at least 30s/ box	120	kit	3,000.00	360,000.00	NO BID	336,000.00
5	TREPONEMA PALLIDUM PARTICLE AGGLUTINATION ASSAY (TPPA) specificity of at least 98% and sensitivity of at least 85% 100 test/kit	2	kit	10,000.00	20,000.00	NO BID	20,000.00

**WHEREAS**, the bids for the item listed below was found to be substantially complying;

**Item No. 1 – ANTI-HIV RAPID TEST KIT, Sensitivity: 100%, Specificity: at least 99.8%, 25 test kits/box**

Bidder No.	Name of Company	ABC (PhP)	Bid as Calculated	% Variance from ABC
1	Endure Medical Inc.	₱ 84,000.00	₱ 52,038.00	38.05 %
2	Allied Hosp. Supply Int'l Corp.	₱ 84,000.00	₱ 56,000.00	33.33 %

**Item No. 2 – HBsAg/ ANTI RAPID TEST KIT, HBsAG/ Anti HBS Rapid Test Kit, Test kit contains 25 tests per box; Sensitivity: 100%; Specificity: 100%**

**Kit consist of a plastic device containing: A chromatography membrane to which are fixed: a goat polyclonal anti-HBs antibody or a monoclonal anti-biotin antibody; A test strip impregnated with a conjugate consisting of: a mixture of two monoclonal anti HBs-antibodies coupled to red-dyed polystyrene microspheres and a BSA-biotinylated complex coupled to blue-dyed polystyrene microspheres.**

Bidder No.	Name of Company	ABC (PhP)	Bid as Calculated	% Variance from ABC
2	Allied Hosp. Supply Int'l Corp.	₱ 30,400.00	₱ 24,000.00	21.05 %

**Item No. 3 – PREGNANCY TEST KIT, HCG Pregnancy Rapid Test Kit, 50s/box**

**Technology: chromatographic immunoassay; Format: strip; Sample Type: Urine; Antibodies: Anti B-hCG; Test Line: Anti a-hCG antibody; Control Line: Goat polyclonal antibody; Specificity: 100%; Time to Result: 3 minutes**

Bidder No.	Name of Company	ABC (PhP)	Bid as Calculated	% Variance from ABC
1	Endure Medical Inc.	₱ 180,000.00	₱ 23,160.00	87.13 %
2	Allied Hosp. Supply Int'l Corp.	₱ 180,000.00	₱ 36,000.00	80.00 %

**Item No. 4 – SYPHILLIS TEST KIT, ICT, Sensitivity >= 99.3%, Specificity >=99.5%, at least 30s/ box**

Bidder No.	Name of Company	ABC (PhP)	Bid as Calculated	% Variance from ABC
2	Allied Hosp. Supply Int'l Corp.	₱ 360,000.00	₱ 336,000.00	6.67 %

**Item No. 5 – TREPONEMA PALLIDUM PARTICLE AGGLUTINATION ASSAY (TPPA) specificity of at least 98% and sensitivity of at least 85%, 100 test/kit**

Bidder No.	Name of Company	ABC (PhP)	Bid as Calculated	% Variance from ABC
2	Allied Hosp. Supply Int'l Corp.	₱ 20,000.00	₱ 20,000.00	0.00 %

**WHEREAS**, on September 8, 2020, a letter was received from Northeast Medical Trading seeking for reconsideration of their bids. A reply letter was sent to the bidder on September 10, 2020, denying its motion;

**WHEREAS**, letter dated September 07, 2020 was sent to the Lowest Calculated Bidders (LCBs), Endure Medical Inc. and Allied Hospital Supply International Corp. requesting to submit post qualification requirements;

**WHEREAS**, on September 11, 2020, Endure Medical Inc. and Allied Hospital Supply International Corp. submitted their respective additional documentary requirements as part of their technical requirements;

**WHEREAS**, on September 8-15, 2020, detailed evaluation of the submitted proposal on the Legal, Technical and Financial aspects of documents on the Single/Lowest Calculated Bidder (SCB/LCB) for the above items was undertaken by the designated Technical Working Group (TWG);

**WHEREAS**, on September 22, 2020, the TWG presented to the BAC their Bid Evaluation and Post Qualification Reports citing specific findings on the submitted documents/clarifications by the LCB for each item;

**WHEREAS**, on September 25, 2020, the TWG submitted their Bid Evaluation and Post Qualification Reports citing specific findings on the submitted documents/clarifications by the LCB for each item;

**WHEREAS**, the Bids and Awards Committee (BAC) certifies that there is “no pending incident” as regard to the result of the post qualification evaluation for this particular project;

**NOW THEREFORE**, on the basis of the above, the herein members of the BAC HEREBY RESOLVE, to award the items listed below to the following bidders that were determined to have the Lowest Calculated and Responsive Bids (LCRBs):

- 1. Endure Medical Inc. with a Total Contract Price of Fifty-Two Thousand Thirty-Eight Pesos only (₱ 52,038.00) inclusive of local taxes for the item listed below:**

Item No.	Description	Quantity	Unit	Unit Cost	Total Bid Price (PhP)
1	<b>ANTI-HIV RAPID TEST KIT</b> Sensitivity: 100%, Specificity: at least 99.8%. 25 test kits/box	700	kit	₱ 74.34	₱ 52,038.00
<b>TOTAL</b>					<b>₱ 52,038.00</b>

- 2. Allied Hospital Supply International Corp. with a Total Contract Price of Three Hundred Eighty Thousand Pesos only (₱ 380,000.00) inclusive of local taxes for the items listed below:**

Item No.	Description	Quantity	Unit	Unit Cost	Total Bid Price (PhP)
2	<b>HBsAg/ ANTI RAPID TEST KIT</b> HBsAG/ Anti HBS Rapid Test Kit, Test kit contains 25 tests per box; Sensitivity: 100%; Specificity: 100% Kit consist of a plastic device containing: A chromatography membrane to which are fixed: a goat polyclonal anti-HBs antibody or a monoclonal anti-biotin antibody; A test strip impregnated with a conjugate consisting of: a mixture of two monoclonal	20	kit	₱ 1,200.00	₱ 24,000.00

	anti HBs-antibodies coupled to red-dyed polystyrene microspheres and a BSA-biotinylated complex coupled to blue-dyed polystyrene microspheres.				
4	<b>SYPHILLIS TEST KIT</b> ICT, Sensitivity $\geq$ 99.3%, Specificity $\geq$ 99.5%, at least 30s/ box	120	kit	₱ 2,800.00	₱ 336,000.00
5	<b>TREPONEMA PALLIDUM PARTICLE AGGLUTINATION ASSAY (TPPA)</b> specificity of at least 98% and sensitivity of at least 85% 100 test/kit	2	kit	₱ 10,000.00	₱ 20,000.00
<b>TOTAL</b>					<b>₱ 380,000.00</b>

WHEREAS, the following item was declared failed bid:


**OFFER IS 25's PER BOX**


**Item No. 3** – PREGNANCY TEST KIT, HCG Pregnancy Rapid Test Kit, 50s/box, Technology: chromatographic immunoassay; Format: strip; Sample Type: Urine; Antibodies: Anti B-hCG; Test Line: Anti a-hCG antibody; Control Line: Goat polyclonal antibody; Specificity: 100%; Time to Result: 3 minutes


For the item declared as **“FAILED BID”**, specifically item no. 3, the end-user is mandated to review the technical specifications and if necessary, adjust the ABC subject to the required approvals and for re-bidding with re-advertisement and/or posting, as prescribed in Section 21.2 of the Revised Implementing Rules and Regulations of the Republic Act No. 9184.

**UNANIMOUSLY APPROVED** this 28<sup>th</sup> day of September, 2020 at the Department of Health-Center for Health Development-Cordillera Administrative Region, BGHMC Compound, Baguio City.

**BIDS AND AWARDS COMMITTEE (BAC)**

  
**ANACHRIS M. KILAKIL, MD**  
Provisional Member

  
**JENNIFER JOYCE R. PIRA, MD, MDM**  
Provisional Member

  
**ALEXEI P. MARRERO, MD**  
BAC Member

  
**SHELLY M. ARAL, MD, MCHD**  
BAC Member

**ATTY. VERONICA ZANDRA DE JESUS-SOWAKEN**  
BAC Member

  
**ARCELY D. SANCHEZ, MBA**  
BAC Vice Chairperson

  
**JANICE Z. BUGTONG, MD, MM, CESE**  
BAC Chairperson *1/30*

Approved by:

  
**RUBY C. CONSTANTINO, MD, MPH, CESO IV**  
Director IV